

बैठक संख्या:-५१

आज मिति २०८१ साल जेठ २२ गते मंगलवारका दिन बिर्तामोड नगरपालिकाको कार्यपालिका बैठक नगर प्रमुख श्री पवित्रादेवी महतारा प्रसाईंज्यूको अध्यक्षतामा निम्न वडा अध्यक्ष तथा कार्यपालिका सदस्यहरुको उपस्थितिमा निम्न विषयमा छलफल गरियो ।

उपस्थिती

सि.नं	पद	नाम, थर	हस्ताक्षर
१	नगर प्रमुख	श्री पवित्रादेवी महतारा प्रसाईं	
२	नगर उप-प्रमुख	श्री नगेन्द्र प्रसाद संग्रौला	
३	१ नं. वडा अध्यक्ष	श्री अग्नी प्रसाद पाण्डे	
४	२ नं. वडा अध्यक्ष	श्री किशोर कुमार पौडेल	
५	३ नं. वडा अध्यक्ष	श्री मदन बुढाथोकी	
६	४ नं. वडा अध्यक्ष	श्री राहुल कुमार शर्मा	
७	५ नं. वडा अध्यक्ष	श्री रोहित प्रसाईं	
८	६ नं. वडा अध्यक्ष	श्री सुर्य प्रसाद कन्दङ्गा	
९	७ नं. वडा अध्यक्ष	श्री कृष्ण प्रसाद खरेल	
१०	८ नं. वडा अध्यक्ष	श्री अजय कार्की	
११	९ नं. वडा अध्यक्ष	श्री हरि प्रसाद चौलागाईं	
१२	१० नं. वडा अध्यक्ष	श्री दुर्योधन गुरुड	
१३	कार्यपालिका सदस्य	श्री यमुना देवी आचार्य	
१४	कार्यपालिका सदस्य	श्री तिला गौतम	
१५	कार्यपालिका सदस्य	श्री निर्मला देवी सुनार	
१६	कार्यपालिका सदस्य	श्री लक्ष्मिमा खतिवडा	
१७	कार्यपालिका सदस्य	श्री संगिता सिवा	
१८	कार्यपालिका सदस्य	श्री जगतबन्धु राजवंशी	
१९	कार्यपालिका सदस्य	श्री सिता दुङ्गाना बि.क.	
२०	कार्यपालिका सदस्य	श्री शर्मिला राजवंशी	
२१	सदस्य सचिव	श्री राधाकृष्ण खतिवडा	

निर्णय नं १- यस भन्दा अघि भएको कार्यापालिका बैठकका निर्णयहरूको कार्यान्वयन प्रगति सन्तोषजनक रहेको समिक्षा गरियो।

निर्णय नं २- विश्व बैंकको आर्थिक सहयोगमा शहरी विकास मन्त्रालय अन्तर्गत नेपाल शहरी शासकीय तथा पूर्वाधार आयोजना NUGIP मार्फत् यस नगरपालिकामा कार्यान्वयन भईरहेको वडा नं ६ ७ र ८ मा पर्ने बुट्टाबारी प्याकुरेल चौक सडक उप आयोजनाको NUGIP बाट तयार भई प्राप्त भएको विस्तृत परियोजना प्रतिवेदन DPR अनुसार ठेक्का सम्झौता भएपछि सम्बन्धित निर्माण कम्पनी र Design and Supervision Consultant (DSC) ले संयुक्त रूपमा गरेको Joint Survey बाट Variation गर्नुपर्ने Item हरु पहिचान गरी सोही अनुसारको Drawing Design समेत तयार गरी पेश गरेकोमा Variation Item मा दररेट निर्धारण गर्न बिर्तामोड नगरपालिका र Design and Supervision Consultant (DSC) (यसपछि पहिलो पक्ष भनिएको) र बुट्टावारी प्याकुरेल चौक सडक निर्माण उपआयोजनाको ठेक्का पाएको आरपी साप समता जेभीका निर्माण व्यवसायीसँग सम्बद्ध पदाधिकारीहरू(यसपछि दोस्रो पक्ष भनिएको) बीच बिभिन्न मितिमा भएको वार्ता प्रक्रियामा DSC बाट प्राविधिक पुष्ट्याई सहित प्राप्त भएको Variation Order दिनुपर्ने Item हरूमा सहमति भई मिति २०८१।०२।०८ गते बसेको कार्यपालिका बैठकबाट भेरिएसन भएको दररेट र Joint Survey बाट तयार भई पेश भएको Drawing Design समेत स्वीकृतीको लागि NUGIP मार्फत् विश्व बैंकबाट Variation Order स्वीकृत गर्न No Objection Letter का लागि पठाइएकोमा नेपाल शहरी शासकीय तथा पूर्वाधार आयोजनाको च.नं ४५० मिति २०८१।०२।१६ गतेको भेरिएसन सम्बन्धी प्राप्त पत्रानुसार यस कार्यालयको च.नं. ९०६६ प.स. २०८०/८१ मिति २०८१।०२।०९ को पत्र साथ पठाइएको variation को documents हरु PMST ले अध्ययन गरी review comments हरु दिएको र उक्त review comments बमोजिम आवश्यक variation file पुनरावलोकन गरी revised variation file स्वीकृत गरी लक्ष्य बमोजिमको कार्य समयमानै सम्पन्न गर्नु गराउनु हुन साथै यदि PMST ले अध्ययन गरी review comments हरु दिएको अनुसार revised variation तयार गर्दा १५% भन्दा बढी हुन आएमा The world Bank procurement regulations for IPF Borrowers, November 2020 को Annex II Procurment Oversight. 10 Modification fo the signed contract, 10.1 for contracts subject to prior review, the Borrower shall seek the Bank's no objection before agreeing to: बमोजिम विश्व बैंकबाट clearance लिनुपर्ने भएको हुदाँ revised file पुनः PCO मा पठाउनुहुन भनि लेखि आएकोले प्राप्त सुझाव सहितको Document अनुसार DSC

[Handwritten signatures and initials]

को प्राविधिक प्रतिवेदन र पुनरावलोकन सहित पेश भएको भेरिएसनको दररेटमा बाता समितिले पुनःबाता गरी भेरिएसन गर्नुपर्ने प्रत्येक आइटममा छलफल गरी बाता समितिमा सहमती भएको संलग्न दररेट अनुसार ठेक्का सम्झौतामा थप १४.१३ प्रतिशत(१५ प्रतिशत भन्दा कम) भेरिएसन आदेश (VO) हुने देखिएकाले विश्व बैङ्कबाट clearance लिई रहनु नपर्ने भएको हुदाँ बिर्तामोड नगरपालिकाको सार्वजनिक खरिद नियमावली २०८० को दफा ४१ अनुसार स्वीकृत गर्ने निर्णय गरियो । साथै Joint Survey बाट तयार भई पेश भएको Drawing Design समेत स्वीकृत गरियो ।

स्वीकृत गरिएको भेरिएसन आदेश प्रमुख प्रशासकीय अधिकृत मार्फत् जारी गर्ने र भेरिएसन भएका आइटमहरु समेतको कार्य प्रगतिका आधारमा DSC बाट नापजाँच भई पेश भएको बिल अनुसारको रकम भुक्तानी गर्न समेत कार्यालयलाई निर्देशन दिने निर्णय गरियो ।

निर्णय नं ३- मोइराईकन्सल्टेन्सी बिरगञ्ज महानगरपालिका वडा नं १२ ले तयार पारी पेश गरेको भाटभटेनी सुपर मार्केट बिर्तामोड नगरपालिका वडा नं ३ को प्रारम्भिक वातावरणीय परीक्षण(IEE) स्वीकृत गर्ने निर्णय गरियो ।

[Handwritten signatures and stamps]

Government of Nepal
Nepal Urban Governance and Infrastructure Project (NUGIP)
Biratnagar Municipality
Office of Municipal Executive
Biratnagar, Jhapa

ARIATION ORDER No.: 01

Name of the Project: Upgradation of Buttabari - Pyakurel Chowk road

Contract Identification No.: NP-DUDBC-273141-CW-RFB

Name of Contractor: M/S Aarpee-SAP-Samata JV (joint venture of Aarpee Infra Projects Pvt. Ltd., SAP Construction Pvt. Ltd. and Samata Construction & Suppliers Pvt. Ltd.)

Name of Consultant: M/S D. B. Multi-SILT-Ganga-RIDARC-Udaya JV (D. B. Multi Engineering Consultant Pvt. Ltd., New Baneshwor, Kathmandu in Joint Venture with SILT Consultants Pvt. Ltd., Ratopul, Kathmandu, Ganga Consultancy Pvt. Ltd., Biratnagar, Jhapa, Rural Infrastructure Development and Research Consultant Nepal, Bhaktapur, Sabu, Lalpur and Udaya Consultancy Pvt. Ltd., New Baneshwor, Kathmandu)

Third round of Rate Negotiation on excess quantity and new items (DATE:2024-JUNE-04 : 05:00PM)

Sl.No.	Item Description	Unit	BOQ item nos	no. of items	Contractor's Claimed Rate (FY 2080/81) (NRs)	Contractor's Negotiated Rate (NRs)	In Words	discounted percentage	Remarks
1	Construction of temporary diversions at the location of cross drainage with required material for temporary drainage works, including earthwork; maintenance of diversion; management of traffic and after completion of cross drainage works removal of diversion and restoration of ground to its original condition as specified and as per Engineers instruction	mm	2.1.1.8 general works	1	14,160.59	12,500.00	Rupees Twelve Thousand Five Hundred Only	11.73%	
2	Reinforced cement concrete grade M- 20 & above	cum	3.1.dismantle	1	3,176.29	3,100.00	Rupees Three Thousand One Hundred Only	2.40%	
3	Brick/Tile work in cement mortar	cum	3.2.dismantle	1	1,939.59	1,900.00	Rupees One Thousand Nine Hundred Only	2.04%	
4	Rubble stone masonry in cement mortar	cum	3.3.dismantle	1	1,764.34	1,750.00	Rupees One Thousand Seven Hundred Fifty Only	1.92%	
5	Removing and Stacking all types of Hume pipes below 600mm dia.	mm	3.4.dismantle	1	495.08	490.00	Rupees Four Hundred Ninety Only	1.03%	
6	Removing and Stacking all types of Hume pipes from 600mm dia. to 900mm dia.	mm	3.5.dismantle	1	727.95	720.00	Rupees Seven Hundred Twenty Only	1.09%	
7	Earthwork in excavation in foundation of structures, including construction of shoring and bracing, removal of stumps and other deleterious matter and backfilling with approved Materials as per Drawing and Technical specifications in ordinary soil depth upto 3m all complete as per drawing, specification and instruction	cum	4.1 rcc drain, N-6.1 300mm hume pipe, N-7.1 600mm hume pipe, N-12.1 waiting shelter	4	140.73	139.00	Rupees One Hundred Thirty Nine Only	1.23%	

(Handwritten signatures and stamps)

(Large handwritten signature and stamp on the right side of the page)

Prepared by: _____
Checked/Recommended by: _____
Approved by: _____

Third round of Rate Negotiation on excess quantity and new items (DATE: 2024-JUNE-04 : 05:00PM)

Sl. No.	Item Description	Unit	BOQ Item nos	no. of Items	Contractor's Claimed Rate (FY 2020/21) (NRs)	Contractor's Negotiated Rate (NRs)	In Words	discounted percentage	Remarks
8	Providing and laying of Plain Cement Concrete of grade M 10/40 below RCC side Drain and Kerb stone including formwork, compaction, curing and testing as per Drawing and standard Specifications.	cum	N-12.5 public waiting shelter	1	7,825.38	7,740.00	Rupees Seven Thousand Seven Hundred Forty Only	1.09%	
9	Providing and laying of plain Concrete of mixture 60% M15 concrete and 40% plumstone including formwork, compaction, curing and testing as per drawing and standard specification and instructed by engineer.	cum	4.3 rcc drain, 9.3 masonry wall, 13.7 box culvert	3	8,970.52	8,650.00	Rupees Eight Thousand Eight Hundred Fifty Only	1.34%	
10	Providing and laying Reinforcement including cutting, bending, binding, fixing in position and lead etc. all complete as per drawing, specification and instruction	MT	4.5 rcc drain, 13.6 box culvert, N-12.8 public waiting shelter	3	132,543.25	117,800.00	Rupees One Lacs Seventeen Thousand Eight Hundred Only	11.12%	
11	Compacting original ground supporting sub-grade Loosening of the ground upto a level of 500 mm below the sub-grade level, watered, graded and compacted in layers as per Drawing and Technical Specifications. (Section 10.4)	cum	7.1 road pavement, 13.2 box culvert	2	154.41	140.00	Rupees One Hundred Forty Only	9.33%	
12	Providing and laying granular sub-base on prepared surface, mixing at OMC, and compacting to achieve the desired density, complete as per drawing and technical specifications.	Sqm	10.2 ramp works	1	754.70	750.00	Rupees Seven Hundred Fifty Only	4.42%	
13	Providing and laying Plain Cement Concrete of grade M 15/20 on foundation including form work, compaction, curing and testing as per drawing and standard specifications	cum	13.2 box culvert, N-6.3 300mm hume pipe, N-7.4 500mm hume pipe, N-12.6 public waiting shelter	4	9,522.01	9,420.00	Rupees Nine Thousand Four Hundred Twenty Only	1.07%	
14	Providing and laying of Reinforced cement concrete of grade M 25/20 for box culverts including formwork, compaction, curing and testing as per Drawing and standard specifications	cum	13.5 box culvert	1	11,901.40	11,770.00	Rupees Eleven Thousand Seven Hundred Seventy Only	1.10%	
15	Providing and laying Gabion structure for retaining earth with diaphragm including rolling, cutting weaving, placing, laying sides and diaphragms with binding wire and filling boulders all complete as per Drawing and Technical Specification. Mesh wire- 10 Swg (0.0615 kg/m), Selvedge Wire 8 Swg (0.1057 kg/m), binding wire 12 Swg (0.0439 kg/m) Hexagonal mesh Type 100 mm X 120 mm., Box size 2'0" X 1'0"	cum	13.9 box culvert	1	7,137.71	6,750.00	Rupees Six Thousand Seven Hundred Fifty Only	6.22%	

(Signature)

(Signature)

(Signature)

Checked Recommended By:

Prepared By:

Third round of Rate Negotiation on excess quantity and new items. (DATE-2024-JUNE-04 : 05:00PM)

Sl No.	Item Description	Unit	BOQ Item nos	no. of items	Contractor's Claimed Rate (FY 2020/21) (NRs)	Contractor's Negotiated Rate (NRs)	In Words	discounted percentage	Remarks
16	Tubular Steel Railing on Prestressed RCC posts 1.2m Height. Providing, fencing and erecting 75mm dia painted steel pipe in railing in 3 rows on precast M20 grade RCC vertical posts 1.2m high (1.0m above footpath) with 3 holes 75mm dia for pipe, fixed 1.15 meter center to center, complete as per Drawing and Technical Specifications.	m	13.10 box culvert	1	7,206.10	7,100.00	Rupees Seven Thousand One Hundred Only	1.47%	
17	Providing and filling by stone in the foundation and levelling including haulage distance upto 30m.	cum	N-1.1 rcc drain, N-2.1 masonry wall, N-3.1 900mm hume pipe, N-4.1 1200mm hume pipe, N-5.1 box culvert, N-6.2 300mm hume pipe, N-7.2 600mm hume pipe, N-8.1 boundary wall, N-12.4 public waiting shelter	9	5,039.28	4,300.00	Rupees Four Thousand Three Hundred Only	14.87%	
18	Providing and laying weep holes in wing wall and retaining wall with 110 mm dia HDPE pipe, extending through the full width of the structure with slope of 1V : 20H towards drawing face Complete as per Drawing and Technical Specifications. (Section 20.7)	m	N-1.2 Rcc drain, N-2.2 masonry wall	3	486.23	490.00	Rupees Four Hundred Ninety Only	1.25%	
19	Providing and laying of a geotextile filter in weephole as per complete as per drawing, specification and instruction.	sqm	N-1.3 Rcc drain, N-2.3 masonry wall, N-5.3 box culvert	3	126.04	120.00	Rupees One Hundred Twenty Only	4.79%	
20	Providing and placing precast M20/20 for RCC SIDE DRAIN COVER including formwork, compaction, curing, testing etc. all complete drawing, specification and instruction by engineer	cum	N-1.4 rcc drain	1	12,105.63	11,980.00	Rupees Eleven Thousand Nine Hundred Eighty Only	1.04%	
21	Providing and fixing Drainage Spouts complete as per Drawing and Technical specifications	no.	N-5.2 box culvert	1	21,155.64	20,750.00	Rupees Twenty Thousand Seven Hundred Fifty Only	1.92%	
22	Providing and laying Gabion structure for retaining earth with diaphragm including rolling, cutting weaving, placing, laying sides and diaphragms with binding wire and filling boulders all complete as per Drawing and Technical Specification A Mesh wire-10 Swg(0.0615 kg/m), Seivedge Wire 6 Swg (0.1057 kg/m), binding wire 12 Swg (0.0409 kg/m) Hexagonal mesh Type 100 mm X 120 mm, Box size 2 X 1 X 0.3 m (6.1 sqm) Unit = cum (For 2.0 X 1.0 X 1.0 nos = 6 cum)	cum	N-5.4 box culvert, N-6.6 300mm hume pipe, N-7.6 600mm hume pipe	3	9,442.88	9,340.00	Rupees Nine Thousand Three Hundred Forty Only	1.09%	

[Handwritten Signature]

[Handwritten Signature]

Prepared By: *[Handwritten Signature]*
 Checked & Recommended By: *[Handwritten Signature]*
 Approved By: *[Handwritten Signature]*

Third round of Rate Negotiation on excess quantity and new items (DATE: 2024-JUNE-04 : 05:00PM)

Sl.No.	Item Description	Unit	BOO Item nos	no. of Items	Contractor's Claimed Rate (FY 2020/21) (NRs)	Contractor's Negotiated Rate (NRs)	In Words	discounted percentage	Remarks
23	Providing and Laying Reinforced Cement Concrete NP3 Flush jointed pipe for culverts including fixing with cement mortar 1:2 all complete as per drawing, specification and instruction (SS 701) - 300 mm Internal Diameter.	rm	N-6.4 300mm hume pipe	1	4,471.95	3,400.00	Rupees Three Thousand Four Hundred Only	23.97%	
24	Providing and laying of Filter media with granular Material/stone crushed aggregates with smaller size towards the soil and bigger size towards the wall and provided over the entire surface behind abutment, wing wall and return wall to the full height compacted to a firm condition all complete as per drawing, specification and instruction	cum	N-6.5 300mm hume pipe, N-7.7 600mm hume pipe	2	1,980.30	1,900.00	Rupees One Thousand Nine Hundred Only	4.05%	
25	Providing and laying Random Rubble Stone Masonry work in cement mortar M/M7.5 all complete as per drawing, specification and instruction	cum	N-7.3 600mm hume pipe	1	10,448.13	9,900.00	Rupees Nine Thousand Nine Hundred Only	5.25%	
26	Providing and Laying Reinforced Cement Concrete NP3 Flush jointed pipe for culverts including fixing with cement mortar 1:2 all complete as per drawing, specification and instruction (SS 701) - 600 mm Internal Diameter.	rm	N-7.5 600mm hume pipe	1	6,963.63	6,850.00	Rupees Six Thousand Eight Hundred Fifty Only	1.63%	
27	Fabrication, Fixing and Installation of Steel Gate including Primer, Painting and Wages all Complete.	kg	N-8.2 boundary wall	1	167.23	165.00	Rupees One Hundred Sixty Five Only	1.33%	
28	Providing and Laying HDPE of PN-10 (Nominal pressure) of size 110mm for catchpit all complete as per drawing, specification and instruction.	rm	N-9.1 catchpit works	1	1,275.75	1,250.00	Rupees One Thousand Two Hundred Fifty Only	2.02%	
29	Dismantling of Steel Work (CGI Sheet) in all types or sections upto a height of 5 m above plinth level excluding cutting of rivet and including Dismembering.	sqm	N-10.1 Dismantle works	1	59.92	50.00	Rupees Fifty Only	16.56%	
30	Dismantling boulders laid in wire crates including opening of crates and stacking dismantled Material.	cum	N-10.2 Dismantle works	1	1,086.23	1,050.00	Rupees One Thousand Fifty Only	3.34%	
31	Earthfilling including compaction in layers not exceeding 150mm compaction depth, watering and necessary haulage etc. as per specification, all complete as per drawing, specification and instruction	cum	N-11.2 Public waiting shelter	1	663.30	655.00	Rupees Six Hundred Fifty Five Only	1.25%	
32	Providing and filling sand on prepared earth surface as per Drawing & Technical Specification : (Section 9 13)	cum	N-11.3 Public waiting shelter	1	1,623.57	1,600.00	Rupees One Thousand Six Hundred Only	1.45%	
33	Providing and placing cement concrete M20/20 for footing, beam, column, slab including formwork, compaction, curing, testing etc. all complete drawing specification and instruction by engineer	cum	N-11.7 Public waiting shelter	1	10,896.21	10,780.00	Rupees Ten Thousand Seven Hundred Eighty Only	1.07%	


Prepared By:

Checked/Recommended By:

Approved By:

Third round of Rate Negotiation on excess quantity and new items (DATE: 2024-JUNE-04 : 05:00PM)

SI No.	Item Description	Unit	BOQ Item nos	no. of Items	Contractor's Claimed Rate (FY 2080/81) (NRs)	Contractor's Negotiated Rate (NRs)	In Words	discounted percentage	Remarks
34	Providing and laying Brick Masonry Work in MM7.5 Cement Mortar in Foundation / structure complete excluding Pointing and Plastering as per Drawing and standard Specifications	cum	N-11.9 Public waiting shelter	1	16,686.77	16,000.00	Rupees Sixteen Thousand Only	4.12%	
35	Providing and applying 12.5 mm thick plaster with MM7.5 cement mortar on brick structure and floor as per Technical Specification.	sqm	N-11.10 Public waiting shelter	1	341.14	300.00	Rupees Three Hundred Only	12.06%	
36	Providing and applying punning on floor as per Technical Specification.	sqm	N-11.11 Public waiting shelter	1	275.73	250.00	Rupees Two Hundred Fifty Only	9.33%	
37	Providing and applying waterproof paint on wall and ceiling as per Technical Specification.	sqm	N-11.12 Public waiting shelter	1	383.47	350.00	Rupees Three Hundred Fifty Only	8.73%	



 The table is annotated with handwritten signatures and notes. A large signature 'Kumar' is written vertically on the left side of the table. Another signature 'Srinivas' is written vertically on the right side. A signature 'Srinivas' is written horizontally above the table. A signature 'Srinivas' is written horizontally below the table. A signature 'Srinivas' is written horizontally below the table. A signature 'Srinivas' is written horizontally below the table.